

From: [Moore, Gary](#)
To: [Tighe, C. Daniel](#)
Subject: Re: CES 1900 55-11.14.14
Date: Tuesday, November 18, 2014 5:52:25 PM
Attachments: [11.14.14 CES Assessment \(Final\).pdf](#)
[11.14.14 CES Removal RCMS\(Final\).pdf](#)

Daniel:

I noticed that there are charges for sludge jugs on the Assessment 1900-55 for 8/4/14 (Deborah Gick). I don't have an issue with them being charged but it probably needs to be charged out of your warehouse as a Weston Item rather than being charged as it is since the TDD for the assessment was not issued until after 8/4/14. These were probably ordered as a result of the Emergency Response and may not have been used during that action so they would go into your inventory and then charged out as they were used. We need to see the proper way to charge these.

Thanks

Gary Moore

Federal On-Scene Coordinator

U.S. EPA Region 6

214-789-1627 cell

214-665-6609 office

moore.gary@epa.gov

From: Tighe, C. Daniel
Sent: Tuesday, November 18, 2014 3:23 PM
To: Moore, Gary
Subject: CES 1900 55-11.14.14

Gary,

Please find attached the CES 1900 55s for 11.14.14.

Please let me know if you have any questions or corrections.

Thanks,

Daniel

WestonLogoShadow



C. Daniel Tighe, PMP

Weston Solutions, Inc.

5599 San Felipe, Suite 700

Houston, TX 77056

713.985.6763 Direct

713.397.1550 Cell

713.985.6703 Fax

Daniel.Tighe@WestonSolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.